




Werkzeuge fürs Leben · Tools for life



2011

Cordless impact driver · Pneumatic tools



CORDLESS IMPACT DRIVER

5700 AK

CORDLESS IMPACT DRIVER SET 1/2"

- ✔ 2-component, hand-friendly body with metal gear unit and gear unit cover
- ✔ 19.2 V high-torque motor
- ✔ Left/right (forward/reverse) rotation
- ✔ Balanced, ergonomic weight distribution for fatigue-free screwdriving
- ✔ Additional side handle improves handling, can be fitted on the right or left side
- ✔ White LED illumination of the work area
- ✔ Easy to replace carbon brushes
- ✔ Trigger-switch speed control from 0 - 2200 rpm
- ✔ Rugged impact unit generates 0 - 3000 bpm, independently of speed
- ✔ Max. torque 330 N-m (2920 in/lb)
- ✔ 2 NiMH rechargeable batteries, 19.2 V, 2.0 Ah (without memory effect)
- ✔ Fast charger with 240 V 50 Hz Euro plug* (*not suitable for use in UK, Ireland, Cyprus and Malta), with overload protection, prevents overcharging of the high-performance batteries - charger stops charging after 1 hour
- ✔ Supplied in plastic carry case

12.5 1/2" CE



Code	No.		
2107805	5700 AK	1/2	6.0



Use only suitable impact sockets, e.g. GEDORE K 19, with pneumatic tools!
 61-62



CB 5700

FAST CHARGER FOR REPLACEMENT BATTERIES

- ✔ With 240 V 50 Hz Euro plug* (*not suitable for use in UK, Ireland, Cyprus and Malta)
- ✔ With overload protection, prevents overcharging of the high-performance batteries - charger stops charging after 1 hour
- ✔ Input voltage: 100-240 V AC, 50/60 Hz
- ✔ Output voltage: 30 V DC, 2.5 A
- ✔ Suitable for 5700-2 AH and 5700-3 AH



Code	No.	
2107813	CB 5700	760

5700-3 AH

SPARE NIMH BATTERY 19.2 V 3.0 AH

- ✔ Optional complement for the set 5700 AK
- ✔ Voltage: 19.2 V, 3.0 Ah
- ✔ 3.0 Ah for longer service life than standard 2.0 Ah batteries
- ✔ No memory effect



Code	No.	
2107821	5700-3 AH	1160

PNEUMATIC TOOLS

5108

IMPACT WRENCH 3/8" pneumatic

- ▶ Square drive: 3/8"
- ▶ Speed r.p.m.: 10000
- ▶ max. torque N-m: 103
- ▶ Air inlet: 1/4"
- ▶ Working pressure bar: 6.2
- ▶ Air consumption l/min: 205
- ▶ Length mm: 150
- ▶ Height mm: 60
- ▶ Weight kg: 0.9
- ▶ One hand operation, for confined spaces

3/8"



Code 1595601 No. **5108**

5003 A

IMPACT WRENCH 3/4" pneumatic

- ▶ Square drive: 3/4"
- ▶ Speed r.p.m.: 5000
- ▶ max. torque N-m: 1100
- ▶ Air inlet: 3/8"
- ▶ Working pressure bar: 6.3
- ▶ Air consumption l/min: 380
- ▶ Length mm: 230
- ▶ Height mm: 220
- ▶ Weight kg: 4.3
- ▶ Hammer mechanism: Twin Hammer

3/4"



Code 1736132 No. **5003 A**

5107

IMPACT WRENCH 1/2" pneumatic

- ▶ Square drive: 1/2"
- ▶ Speed r.p.m.: 7000
- ▶ max. torque N-m: 610
- ▶ Air inlet: 1/4"
- ▶ Working pressure bar: 6.3
- ▶ Air consumption l/min: 320
- ▶ Length mm: 190
- ▶ Height mm: 210
- ▶ Weight kg: 2.6
- ▶ Hammer mechanism: Twin Hammer, Silent Power, insulated handle

1/2"



Code 1595520 No. **5107**

5200

IMPACT WRENCH SET 3/4" pneumatic

- ▶ Square drive: 3/4"
- ▶ Contents: Impact wrench 5003
- ▶ Sockets 24, 27, 30, 32 mm

3/4"



Code 1479709 No. **5200**

5500

IMPACT WRENCH SET 1/2" pneumatic

- ▶ Square drive: 1/2"
- ▶ Contents: Impact wrench 5006 A
- ▶ Sockets 17, 19, 21, 22, 24 mm

1/2"



Code 1479725 No. **5500**

5000 A

IMPACT WRENCH 1" pneumatic

- ▶ Square drive: 1"
- ▶ Speed r.p.m.: 4200
- ▶ max. torque N-m: 2445
- ▶ Air inlet: 1/2"
- ▶ Working pressure bar: 6.3
- ▶ Air consumption l/min: 580
- ▶ Length mm: 530
- ▶ Height mm: 180
- ▶ Weight kg: 10.6
- ▶ Hammer mechanism: Twin Hammer

1"



Code 1760122 No. **5000 A**

5003

IMPACT WRENCH 3/4" pneumatic

- ▶ Square drive: 3/4"
- ▶ Speed r.p.m.: 4200
- ▶ max. torque N-m: 1345
- ▶ Air inlet: 3/8"
- ▶ Working pressure bar: 6.3
- ▶ Air consumption l/min: 340
- ▶ Length mm: 250
- ▶ Height mm: 245
- ▶ Weight kg: 6.3
- ▶ insulated handle

3/4"



Code 1479156 No. **5003**

5001 A

IMPACT WRENCH 1" pneumatic

- ▶ Square drive: 1"
- ▶ Speed r.p.m.: 3500
- ▶ max. torque N-m: 2237
- ▶ Air inlet: 1/2"
- ▶ Working pressure bar: 6.3
- ▶ Air consumption l/min: 580
- ▶ Length mm: 280
- ▶ Height mm: 260
- ▶ Weight kg: 11.3

1"



Code 1951882 No. **5001 A**

PNEUMATIC TOOLS

5006 A

IMPACT WRENCH 1/2" pneumatic

- ✔ Square drive: 1/2"
- ✔ Speed r.p.m.: 7500
- ✔ max. torque N-m: 530
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 320
- ✔ Length mm: 200
- ✔ Height mm: 195
- ✔ Weight kg: 2.6
- ✔ Hammer mechanism: Twin Hammer



1/2"

Code No.
1736124 5006 A

5007

IMPACT WRENCH 1/2" pneumatic

- ✔ Square drive: 1/2"
- ✔ Speed r.p.m.: 7000
- ✔ max. torque N-m: 610
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 320
- ✔ Length mm: 190
- ✔ Height mm: 225
- ✔ Weight kg: 2.6
- ✔ Hammer mechanism: Twin Hammer, insulated handle



1/2"

Code No.
1479180 5007

5103

IMPACT WRENCH 3/4" pneumatic

- ✔ Square drive: 3/4"
- ✔ Speed r.p.m.: 4200
- ✔ max. torque N-m: 1195
- ✔ Air inlet: 3/8"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 360
- ✔ Length mm: 250
- ✔ Height mm: 240
- ✔ Weight kg: 5.6
- ✔ Hammer mechanism: Twin Hammer, Silent Power



3/4"

Code No.
1595539 5103

5009

AIR RATCHET 1/4"

- ✔ Square drive: 1/4"
- ✔ Speed r.p.m.: 230
- ✔ max. torque N-m: 28
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 130
- ✔ Length mm: 190
- ✔ Height mm: 60
- ✔ Weight kg: 0.5
- ✔ Silent Power, ratchet head with rubber cap



1/4"

Code No.
1479202 5009

5010

AIR RATCHET 3/8"

- ✔ Square drive: 3/8"
- ✔ Speed r.p.m.: 180
- ✔ max. torque N-m: 67
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 220
- ✔ Length mm: 270
- ✔ Height mm: 60
- ✔ Weight kg: 1.2
- ✔ Insulated handle



3/8"

Code No.
1479210 5010

5110

AIR RATCHET 3/8"

- ✔ Square drive: 3/8"
- ✔ Speed r.p.m.: 180
- ✔ max. torque N-m: 90
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 260
- ✔ Length mm: 300
- ✔ Height mm: 42
- ✔ Weight kg: 1.3
- ✔ Silent Power, ratchet head with rubber cap



3/8"

Code No.
1595555 5110

5011

AIR RATCHET 1/2"

- ✔ Square drive: 1/2"
- ✔ Speed r.p.m.: 180
- ✔ max. torque N-m: 67
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 220
- ✔ Length mm: 270
- ✔ Height mm: 60
- ✔ Weight kg: 1.2
- ✔ insulated handle



1/2"

Code No.
1479229 5011

5136

AIR SCREWDRIVER

- ✔ Square drive: 1/4"
- ✔ Speed r.p.m.: 1800
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 280
- ✔ Length mm: 260
- ✔ Thickness mm: 60
- ✔ Weight kg: 1.3



1/4"

Code No.
1479687 5136

5137

AIR SCREWDRIVER

- ✔ Square drive: 1/4"
- ✔ Speed r.p.m.: 1800
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 280
- ✔ Length mm: 200
- ✔ Height mm: 145
- ✔ Weight kg: 1.3



1/4"

Code No.
1479695 5137

5018

AIR DRILL

- ✔ Drill chuck Ø mm: 10
- ✔ Speed r.p.m.: 2200
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 300
- ✔ Length mm: 190
- ✔ Height mm: 145
- ✔ Weight kg: 1.4
- ✔ Quick-chuck, insulated handle



Code No.
1479490 5018

PNEUMATIC TOOLS

5018 L/R

REVERSIBLE AIR DRILL

- ✔ Drill chuck Ø mm: 10
- ✔ Speed r.p.m.: 1800
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 280
- ✔ Length mm: 200
- ✔ Height mm: 160
- ✔ Weight kg: 1.1
- ✔ Quick-chuck, left and right (forward/reverse) rotation, Silent Power, insulated handle



Code	No.
1736108	5018 L/R

5019

AIR DRILL

- ✔ Drill chuck Ø mm: 13
- ✔ Speed r.p.m.: 500
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 300
- ✔ Length mm: 225
- ✔ Height mm: 145
- ✔ Weight kg: 1.8
- ✔ Quick-chuck, insulated handle



Code	No.
1479504	5019

5019 L/R

REVERSIBLE AIR DRILL

- ✔ Drill chuck Ø mm: 13
- ✔ Speed r.p.m.: 400
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 280
- ✔ Length mm: 220
- ✔ Height mm: 165
- ✔ Weight kg: 1.6
- ✔ Quick-chuck, left and right (forward/reverse) rotation, Silent Power, insulated handle



Code	No.
1736116	5019 L/R

5021

ANGLE AIR DRILL

- ✔ Drill chuck Ø mm: 10
- ✔ Speed r.p.m.: 1900
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 220
- ✔ Length mm: 210
- ✔ Height mm: 90
- ✔ Weight kg: 1.0
- ✔ Insulated handle



Code	No.
1479512	5021



5024

AIR GRINDER

- ✔ Collet mm: 6
- ✔ Speed r.p.m.: 22000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 350
- ✔ Length mm: 175
- ✔ Thickness mm: 55
- ✔ Weight kg: 0.6
- ✔ Insulated handle



Code	No.
1479547	5024

5124

AIR GRINDER

- ✔ Collet mm: 6
- ✔ Speed r.p.m.: 22000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 250
- ✔ Length mm: 205
- ✔ Thickness mm: 75
- ✔ Weight kg: 0.7
- ✔ Silent Power



Code	No.
1595563	5124

5126

AIR GRINDER

- ✔ Collet mm: 6
- ✔ Speed r.p.m.: 18000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 390
- ✔ Length mm: 195
- ✔ Thickness mm: 42
- ✔ Weight kg: 0.6



Code	No.
1479563	5126

5100

AIR GRINDER SET

- ✔ Contents:
- ✔ Air grinder 5024
- ✔ Collets 3 mm + 6 mm, various mounted points
- ✔ Weight kg: 1.2



Code	No.	479
1479555	5100	1200

5127

MINI ANGLE AIR GRINDER

- ✔ Collet mm: 6
- ✔ Speed r.p.m.: 25000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 200
- ✔ Length mm: 175
- ✔ Height mm: 100
- ✔ Weight kg: 0.7
- ✔ Insulated handle



Code	No.
1479571	5127

5015

ANGLE AIR GRINDER SET

Contents:

- ✔ Mini angle grinder 5127
- ✔ 16 grinding discs
- ✔ Weight kg: 1.3



Code	No.
1479261	5015

5012

AIR BELT GRINDER

- ✔ Speed r.p.m.: 18000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 360
- ✔ Length mm: 280
- ✔ Height mm: 55
- ✔ Weight kg: 0.8



Code	No.
1479237	5012

5013

EXCENTRIC AIR SANDER

- ✔ Stroke mm: 5
- ✔ Sanding pad Ø mm: 150
- ✔ Speed r.p.m.: 10000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 180
- ✔ Length mm: 180
- ✔ Height mm: 100
- ✔ Weight kg: 0.7



Code	No.
1479245	5013

5014

AIR SANDER

- ✔ Sanding pad Ø mm: 75 + 125
- ✔ Speed r.p.m.: 14000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 420
- ✔ Length mm: 155
- ✔ Height mm: 125
- ✔ Weight kg: 1.2



Code	No.
1479253	5014



5132

ANGLE AIR SANDER

- ✔ Sanding pad Ø mm: 127
- ✔ Speed r.p.m.: 12000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 220
- ✔ Length mm: 260
- ✔ Height mm: 90
- ✔ Weight kg: 2.0



Code	No.
1479644	5132

5232

ANGLE AIR SANDER

- ✔ Sanding pad Ø mm: 178
- ✔ Speed r.p.m.: 7000
- ✔ Air inlet: 3/8"
- ✔ Working pressure bar: 6.3
- ✔ Air consumption l/min: 580
- ✔ Length mm: 325
- ✔ Height mm: 125
- ✔ Weight kg: 3.350



Code	No.
1595598	5232

5133

ANGLE AIR POLISHER

- ✔ Sanding pad Ø mm: 178
- ✔ Speed r.p.m.: 2500
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 400
- ✔ Length mm: 450
- ✔ Height mm: 105
- ✔ Weight kg: 2.9
- ✔ insulated handle



Code	No.
1479652	5133

5134

ANGLE AIR POLISHER

- ✔ Sanding pad Ø mm: 178
- ✔ Speed r.p.m.: 4500
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 400
- ✔ Length mm: 450
- ✔ Height mm: 105
- ✔ Weight kg: 2.9
- ✔ insulated handle



Code	No.
1479660	5134

5128

AIR FOIL ERASER

- ✔ Sanding pad Ø mm: 55
- ✔ Speed r.p.m.: 2500
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 350
- ✔ Length mm: 175
- ✔ Thickness mm: 55
- ✔ Weight kg: 0.9
- ✔ insulated handle
- ✔ To remove stickers and trim strips



Code	No.
1479598	5128
1479601	5129

PNEUMATIC TOOLS

5022

CHIPPING HAMMER

- ✔ Ratio: 3500
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 260
- ✔ Length mm: 185
- ✔ Height mm: 150
- ✔ Weight kg: 1.0



1/4"

Code 1479520 No. 5022

5023

CHIPPING HAMMER SET

- Contents:**
- ✔ Chipping hammer 5022
 - ✔ various chisels
 - ✔ Weight kg: 2.8



1/4"

Code 1479539 No. 5023

5016

KEYHOLE SAW

- ✔ Stroke mm: 10
- ✔ Speed r.p.m.: 9000
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 230
- ✔ Length mm: 280
- ✔ Thickness mm: 75
- ✔ Weight kg: 1.0



1/4"

Code 1479474 No. 5016

5017

KEYHOLE SAW SET

- Contents:**
- ✔ Keyhole saw 5016, stroke 10 mm
 - ✔ various saw blades
 - ✔ Weight kg: 2.5



1/4"

Code 1479482 No. 5017

5131

ENGRAVING PEN

- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Length mm: 170
- ✔ Thickness mm: 15
- ✔ Weight kg: 0.130



1/4"

Code 1479636 No. 5131

5025

NEEDLE HAMMER

- ✔ Stroke mm: 81
- ✔ Ratio: 2500
- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 370
- ✔ Length mm: 370
- ✔ Height mm: 160
- ✔ Weight kg: 3.4
- ✔ 19 needles Ø 3 mm



1/4"

Code 1736140 No. 5025

5135

BLIND RIVET PISTOL

- ✔ Air inlet: 1/4"
- ✔ Working pressure bar: 6.2
- ✔ Air consumption l/min: 610
- ✔ Length mm: 155
- ✔ Height mm: 300
- ✔ Weight kg: 1.4
- ✔ Rivet head Ø < 4,8 mm



1/4"

Code 1479679 No. 5135





Werkzeuge fürs Leben · Tools for life

2011

Cordless impact driver set · Pneumatic tools



GEDORE Tool Center KG

Remscheider Straße 149
42899 Remscheid · GERMANY
Postfach 120361 · 42873 Remscheid

Fon +49 (0) 21 91 - 596 - 0
Fax +49 (0) 21 91 - 596 - 230
gtc@gedore.com · www.gedore.com

Vertrieb DEUTSCHLAND

Fon +49 (0) 21 91 - 596 - 900 · Fax +49 (0) 21 91 - 596 - 999

Sales INTERNATIONAL

Fon +49 (0) 21 91 - 596 - 910 · Fax +49 (0) 21 91 - 596 - 911

www.gedore.com